

SAFETY DATA SHEET

Section 1. Chemical Product & Company Identification

TITAN INDUSTRIAL CHEMICALS, LLC

P.O. BOX 635 GROVER, MO. 63040 636-273-9033

Product Name: **SUPER SOAK**
 Product Use: SURFACTANT
 Product Code: 4280855
EMERGENCY NUMBER: INFOTRAC 1-800-535-5053

Section 2. Hazards Identification

Physical Hazards: Not Classified

Health Hazards:	Skin corrosion/irritation	Category 3
	Causes serious eye damage/irritation	Category 1
	Acute Toxicity, inhalation	Category 4

Environmental Hazards:	Hazardous to aquatic environment/acute hazard	Category 2
	Hazardous to aquatic environment/long-term hazard	Category 3

OSHA Defined Hazards: Not Established

Label Elements:



(Not DOT corrosive due to % threshold and no Cat. 1 skin corrosion)

Signal Word: DANGER

Hazard Statement: Causes skin irritation and serious eye damage. Harmful if inhaled. Toxic to aquatic life. Harmful to aquatic life with long lasting effects.

Precautionary Statements (Prevention): Wash thoroughly after handling. Avoid breathing mist/spray/vapors. Use only outdoors or in a well-ventilated area. Do not eat, drink or smoke when handling this product. Avoid release to the environment. Wear protective gloves/protective eyewear/face protection.

Precautionary Statements (Response): If swallowed: call a poison center/doctor if you feel unwell. Rinse mouth. If on skin: Wash skin with plenty of water. If skin irritation occurs: wash with plenty of water. Get medical attention/advice. Take off contaminated clothing and wash it before reuse. If in eyes: Rinse cautiously with water for several

Product Code: 4280855

Safety Data Sheet

Product Name: SUPER SOAK

minutes. Remove contact lenses, if present and easy to do so. Continue rinsing. Immediately call a poison control center/physician. If Inhaled: remove person to fresh air and keep comfortable for breathing. Call a poison control center/doctor if you feel unwell. Specific treatment: Rinse mouth.

Precautionary Statements (Storage): Store in original container, in upright position, tightly closed.

Precautionary Statements (Disposal): Follow local/regional/national/international regulations.

Hazards Not Otherwise Classified: None known.

Section 3. Composition/Information on Ingredients

<u>Name of Hazardous Ingredients:</u>	<u>CAS Number</u>	<u>% by Weight</u>
Nonylphenol polyethylene glycol ether	127087-87-0	1-5

Due to Trade Secret, the exact percentage of composition has been stated as a range. The exact identities of other ingredients has also been withheld as Trade Secret. However, they do not contribute to the identified hazards of the product and will be divulged to proper authorities in an emergency.

Section 4. First Aid Measures

Eye Contact: Rinse cautiously with water for several minutes, holding eye open. Get immediate medical attention. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: get medical advice/attention.

Skin Contact: Wash with plenty of water. If skin irritation occurs: get medical advice/attention. Take off contaminated clothing and wash it before reuse.

Inhalation: Move to fresh air. Keep in a position comfortable for breathing. Call a physician if symptoms develop or persist.

Ingestion: If swallowed: DO NOT induce vomiting. Rinse mouth with water and drink plenty of water. Immediately call a poison control center/physician.

Most Important Symptoms/Effects, Acute & Delayed: Eye itching, stinging, redness, tearing. Skin redness, itching.

Indication of Immediate Medical Attention & Special Treatment Needed: Provide general supportive measures and treat symptomatically. Keep victim under observation. Symptoms may be delayed.

Section 5. Fire Fighting Measures

Suitable Extinguishing Media: Water fog. Dry chemical powder. Carbon dioxide.

Specific Hazards Arising From the Chemical: During fire, gases hazardous to health may be formed.

Special Protective Equipment and Precautions for Firefighters: Self contained breathing apparatus and full protective clothing.

Fire Fighting Equipment/Instructions: Move containers from area if you can do so without risk.

Specific Methods: Use standard firefighting procedures and consider the hazards of other involved materials.

General Fire Hazards: No unusual fire or explosion hazards noted.

Product Code: 4280855

Safety Data Sheet

Product Name: SUPER SOAK

Section 6. Accidental Release Measures

Personal Precautions, Protective Equipment & Emergency Procedures: Keep unnecessary personnel away. Keep people away from and upwind of spill. Keep out of low areas. Wear appropriate protective equipment and clothing during clean up. Do not breathe mist or vapor. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained.

Methods & Materials for Containment & Cleaning Up: This product is miscible in water. Large spills: stop the flow of material, if this is without risk. Dike the spilled material, where possible. Cover with plastic sheet to prevent spreading. Absorb in vermiculite, dry sand or earth and place into containers. Prevent entry into waterways, sewer, basements or confined areas. Following product recovery, flush area with water. Small spills: wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination. Never return spilled material to original container.

Environmental Precautions: Avoid release to the environment. Inform appropriate managerial or supervisory personnel of all releases. Prevent further leakage or spillage if safe to do so. Avoid discharge into drains, water courses or onto the ground.

Section 7. Handling and Storage

Precautions for Safe Handling: Do not breathe mist or vapor. Do not get in eyes, on skin, or on clothing. Avoid prolonged exposure. Provide adequate ventilation. Wear appropriate personal protective equipment. Avoid releases to the environment. Observe good industrial hygiene practices.

Conditions for Safe Storage, including any Incompatibilities: Store in original tightly closed container. Store away from incompatible materials (see sec. 10).

Section 8. Exposure Controls/Personal Protection

Occupational Exposure Guidelines: No exposure limits noted for ingredients.

Appropriate Engineering Controls: Good general ventilation (generally 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. Eye wash facilities and emergency shower must be available when handling this product. It is recommended that users of this product perform a risk assessment to determine the appropriate PPE.

Product Code: 4280855

Safety Data Sheet

Product Name: SUPER SOAK

Individual Protection Measures, Personal Protective Equipment:**Eye/Face:** Wear eye protection and face protection.**Skin/Body:** Wear chemical resistant gloves.**Respiratory:** No special protective equipment is needed under normal use conditions.**General Hygiene Considerations:** Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothes and protective equipment to remove contaminants.***Section 9. Physical & Chemical Properties*****Appearance:** Clear**Physical State :** Liquid**pH:** 8.0-9.0**Boiling Point:** Unknown**Vapor Pressure:** Unknown**Melting Point/Freeze Point:** Unknown**Evaporation Rate:** Not available**Upper Flammability Limit:** Not available**Explosive Properties:** Not available**Water Solubility:** Soluble**Decomposition Temperature:** Not available**Oxidizing Properties:** Not available**Color:** Colorless**Odor:** Slight chemical odor**Odor Threshold:** Not available**Specific Gravity:** .997**Flash Point:** >200 F.**Flammability (solid, gas):** Non-flammable**Lower Flammability Limit:** Not available**Vapor Density:** Not available**Auto-Ignition Temperature:** Not available**Viscosity:** Water-like**Other Solubilities:** Not available***Section 10. Stability & Reactivity*****Reactivity:** May react with oxidizing agents.**Chemical Stability:** Stable under normal conditions.**Possibility of Hazardous Reactions:** Hazardous polymerization does not occur.**Conditions to Avoid:** Do not mix with other chemicals. Avoid contact with incompatible materials.**Incompatibility:** Strong oxidizing agents, strong reducing agents, strong acids, strong bases.**Hazardous Polymerization:** Will not occur.**Hazardous Decomposition Products:** Irritating and/or noxious fumes and gases may be emitted upon decomposition. Oxides of sodium.

Product Code: 4280855

Safety Data Sheet

Product Name: SUPER SOAK

Section 11. Toxicological Information**INFORMATION ON LIKELY ROUTES OF EXPOSURE:****Inhalation:** May cause irritation of the respiratory system. Prolonged inhalation may be harmful.**Ingestion:** Causes respiratory tract irritation.**Skin Contact:** May cause skin irritation.**Eye Contact:** May cause serious eye irritation.**COMPONENT INFORMATION:**

<u>Chemical Name</u>	<u>Oral LD50</u>	<u>Dermal LD50</u>	<u>Inhalation LC50</u>
Nonyl Phenol Polyethylene glycol ether	4854mg/kg	2534mg/kg	11mg/l 4 hr.

INFORMATION ON PHYSICAL, CHEMICAL, TOXICOLOGICAL EFFECTS:**Symptoms:** May cause skin irritation. Causes serious eye damage. Symptoms may include stinging, tearing, redness, swelling, and blurred vision, blindness. May cause respiratory tract irritation if swallowed. Mild to moderately toxic if inhaled.**DELAYED & IMMEDIATE EFFECTS AS WELL AS CHRONIC EFFECTS FROM SHORT TERM EXPOSURE & LONG TERM EXPOSURE:****Carcinogenicity:** Not considered to be a carcinogen by IARC, ACGIH, NTP, or OSHA**Respiratory Sensitization:** Not available.**Skin Sensitization:** Not expected to cause skin sensitization.**Germ Cell Mutagenicity:** No data available to indicate product is mutagenic or genotoxic.**Reproductive Toxicity:** Not expected to cause reproductive toxicity. (STPP NOAEL (rat) 141mg/kg bw/day)**Specific Target Organ Toxicity, Single exposure:** Not classified**Specific Target Organ Toxicity, repeated exposure:** Not classified.**Aspiration Hazard:** Not available.**Chronic Effects:** None noted.**Section 12. Ecological Information****Ecotoxicity:** Toxic to aquatic life. Toxic to aquatic life with long lasting effects.

<u>Chemical</u>	<u>Algae/Aquatic Plants</u>	<u>Fish</u>	<u>Microorganisms</u>	<u>Crustacea</u>
Nonylphenol Polyethylene Glycol Ether		LC50 1.2-9.3mg/l 96 hr.	N/A	N/A

Product Code: 4280855

Safety Data Sheet

Product Name: SUPER SOAK

Persistence & Degradability: No data available.

Bioaccumulation: No data available.

Mobility in Soil: No data available.

Other adverse Effects: No other adverse effects expected.

Section 13. Disposal Considerations

Disposal Instructions: Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Do not allow to drain into sewers/water supplies. Do not contaminate ponds, waterways or ditches with chemical or used container. Dispose of in accordance with local/regional/national/international regulations. Hazardous waste Code: Waste code should be assigned by discussion between the user, the producer and the waste disposal company.

Waste from Residues/Unused Products: Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see Disposal Instructions).

Contaminated Packaging: Empty containers should be taken to an approved waste handling site for recycling or disposal. Since empty containers may contain product residue, follow all label warnings even after container is emptied.

Section 14. Transport Information

<i>Regulatory Information</i>	<i>UN Number</i>	<i>Proper Shipping Name</i>	<i>Classes</i>	<i>PG*</i>	<i>Label</i>
See shipping papers					

NOTE: DOT Classification applies to most package sizes. For specific container size classifications or for size exceptions, refer to the Bill Of Lading with your shipment.

PG*: Packing Group

Section 15. Regulatory Information

U.S. Federal Regulations:

OSHA Hazards: Toxic by inhalation, moderate skin irritant, moderate respiratory irritant, severe eye irritant.

SARA 313 toxic chemical notification and release reporting:

Not regulated.

CERCLA

Product Code: 4280855

Safety Data Sheet

Product Name: SUPER SOAK

Clean Water Act (CWA) 307: NO

Clean Water Act (CWA) 311: NO

Clean Air Act (CAA) 112 Regulated Toxic Substances: No products were found.

All Components of this product are listed or exempt from listing on TSCA Inventory.

TSCA 8(a) IUR: Not regulated.

United States Inventory (TSCA 8b): Not regulated.

US State Right to Know Regulations: Yes, Nonylphenol polyethylene glycol ether

State Regulations

California Prop 65: No products were found in sufficient amounts to require reporting.

Section 16. Other Information

NFPA: 2,0,0,B

HMIS: 2,0,0,B

Issue Date: 9/10/15

Revision Date: N/A

Revision Note: N/A

To the best of our knowledge, the information contained herein is accurate. However, neither the above named supplier nor any of its subsidiaries assumes any liability whatsoever for the accuracy or completeness of the information contained herein.

Final determination of the suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution.

Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.

**Note: Hazard Determination System (HDS) ratings are on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. Although these ratings are not required on SDS's under 29 CFR 1910.1200, the preparer may choose to provide them. HDS ratings TITAN are to be used with a fully implemented program to relay the meanings of this scale.*